

# Alcohol

## OBJECTIVE SIGNS AND SYMPTOMS OF ALCOHOL INFLUENCE

**EYES:** 

HGN PRESENT

VGN MAY BE PRESENT

**STRABISMUS** 

NORMAL / POSSIBLE DILATED PUPILS

**BLOODSHOT SCLERA** 

**OTHER SIGNS:** 

EUPHORIA

**RELAXED INHIBITIONS** 

FORGETFULNESS

DISORIENTATION

IMPAIRED DISTANCE/

DEPTH PERCEPTION

### **PHYSICAL SIGNS:**

FAST RHOMBERG

**LAUGHING** 

IMPAIRED DIVIDED ATTENTION

### **APPEARANCE:**

FLUSHED APPEARANCE POSSIBLE SLURRED SPEECH POSSIBLE ODOR OF ALCOHOLIC BEVERAGE POSSIBLY VIOLENT DROWSY APPEARANCE

### **IRIS CORNERSTONES:**

PULSE ELEVATED

(DISTORTED)

HGN PRESENT

VGN PRESENT

(HIGH BAC)

NON PRESENT

**CONVERGENCE** 

PUPILLARY SIZE POSSIBLE

**DILATION** 

REACTION NORMAL

RHOMBERG DISTORTED

### ALCOHOL

### **ALCOHOL CONTENTS:**

HISTORY:		ALCOHOL	%	PROOF	OZ/ (100 PROOF)		
	NAMES:  ALCOHOL ETHANOL ETHYL ALCOHOL  IT IS A POISON:	BEER	<5	10	12		
		WINE	12	24	4		
IT 10		BOURBON	43	86	1 1/4		
IT IS A		SCOTCH	50	100	1		
	THE MOST COMMONLY ABUSED PSYCHOACTIVE SUBSTANCE.	BACARDI	75	151	3/4		
	FIRST DISCOVERED OVER 5,000	GLASS SIZE DESIGNED TO GIVE SAME					

### AL KOH'L - ARABIC FOR "ESSENCE".

MANUFACTURED THROUGH NATURAL FERMENTATION OF SUGARS AND YEASTS.

CAN ONLY REACH 14% ALCOHOL CONTENT.

HIGHER AMOUNTS ARE DISTILLED.

#### POSSIBLE EFFECTS:

YEARS AGO.

REDUCED INHIBITIONS
SLOWED REFLEXES
IMPAIRED VISION
POOR JUDGMENT
LACK OF COORDINATION
EMOTIONAL INSTABILITY
DEPTH PERCEPTION
GLARE RECOVERY
TUNNEL VISION
INABILITY TO DIVIDE ATTENTION
IMPAIRED CONCENTRATION

### GLASS SIZE DESIGNED TO GIVE SAME AMOUNT:

SHOT	1 TO 11/2 OZ
WINE	4 OZ
BEER	12 OZ

### **ABSORPTION:**

ABSORBS INTO SYSTEM AS ITSELF, GOES THROUGH THE BODY AS ITSELF AND ELIMINATED FROM THE BODY AS ITSELF. GOES TO HIGH WATER CONCENTRATIONS IN THE BODY (BRAIN).

1 TO 2% IS EXCRETED VIA URINE, RESPIRATION, AND PERSPIRATION.

20% METABOLIZES IN THE STOMACH.

80% IN THE SMALL INTESTINES.

### **METABOLITES:**

ENZYMES IN THE LIVER METABOLIZES ALCOHOL INTO ACETALDEHYDE. IT IS THEN METABOLIZED INTO ACIDIC ACID, WHERE THE BY-PRODUCTS OF WATER AND CARBON DIOXIDE ARE PRODUCED IN THE KIDNEYS.

ACETALDEHYDE IS THE TOXIN THAT MAKES YOU SICK.

THE BODY METABOLIZES, OR BURNS OFF, APPROXIMATELY 3/4 TO 1 OUNCE OF ALCOHOL PER HOUR.

ENZYMES OF ALCOHOLDEHYDROGENASE, AND ACETALDEHYDE DEHYDROGENASE CAN BUILD IN THE SYSTEM CAUSING TOLERANCE.

### **RULES OF THUMB:**

- 1. 175 LB MALE W/ 6 OZ OF (100 PROOF) = .15 BAC
- 2...025 BAC = 1 OZ (100 PROOF)
- 3. BURN OFF .015/.020 BAC PER HOUR

### **EFFECTS ON THE BRAIN:**

1-2 DRINKS REASON, CAUTION,

INTELLIGENCE, MEMORY

3-4 DRINKS SELF-CONTROL.

**JUDGMENT** 

5-6 DRINKS SENSES

7-8 DRINKS COORDINATION

9 DRINKS BALANCE

10+ DRINKS VITAL CENTERS

### **ACUTE ALCOHOL TOLERANCE:**

- TACHYPHYLAXIS:

THE LEVEL OF INTOXICATION FELT GOING UP WILL NOT BE THE SAME GOING DOWN.

ALCOHOL:

HOW IT AFFECTS GABA IN THE BRAIN



## APPROXIMATE BLOOD ALCOHOL CONCENTRATIONS FOR DIFFERENT BODY WEIGHTS

No. of Drinks	1	2	3	4	5	6	7	8	9	10
MALE										
100 lbs.	.043	.087	.130	.174	.217	.261	.304	.348	.391	.435
125 lbs.	.034	.069	.103	.139	.173	.209	.242	.287	.312	.346
150 lbs.	.029	.058	.087	.116	.145	.174	.203	.232	.261	.290
175 lbs.	.025	.050	.075	.100	.125	.150	.175	.200	.225	.250
200 lbs.	.022	.043	.065	.087	.108	.130	.152	.174	.195	.217
225 lbs.	.019	.039	.058	.078	.097	.117	.136	.156	.175	.195
250 lbs.	.017	.035	.052	.070	.087	.105	.122	.139	.156	.173
FEMALE										
100 lbs.	.050	.101	.152	.203	.253	.304	.355	.406	.456	.507
125 lbs.	.040	.080	.120	.162	.202	.244	.282	.324	.364	.404
150 lbs.	.034	.068	.101	.135	.169	.203	.237	.271	.304	.338
175 lbs.	.029	.058	.087	.117 .	146	.175	.204	.233	.262	.292
200 lbs.	.026	.050	.076	.101	.126	.152	.177	.203	.227	.253

### TIME TABLE FACTOR

HOURS SINCE FIRST DRINK	1	2	3	4	5	6	7	8
SUBTRACT FROM BAC	.015	.030	.045	.060	.075	.090	.105	.130



ALCOHOL INFUSED WHIPPED CREAM



FIELD OPERATED BREATH SENSOR FOR ALCOHOL

